

## AN IMPLEMENTATION OF VIBRATION-BASED AUTOMATIC SCORE-KEEPING SYSTEM FOR TABLE TENNIS GAME

Erdem YAVUZ<sup>1</sup>, Ufuk SANVER<sup>2</sup>, Mustafa CEM KASAPBAŞI<sup>3</sup>, Rifat  
YAZICI<sup>4</sup>

1.Istanbul Commerce University eyavuz@ticaret.edu.tr

2.Istanbul Commerce University usanver@ticaret.edu.tr

3.Istanbul Commerce University mckasapbasi@ticaret.edu.tr

4.Istanbul Commerce University ryazici@ticaret.edu.tr

### **Abstract**

*In sport tournaments human factor plays an important role to evaluate the game. Table tennis is an example of this kind of sports. In order to avoid erroneous human decisions and to enhance referees' decisions an automatic score-keeping system for table tennis game is designed and implemented with low cost vibration sensors attached underside of the tennis table. The purpose of using vibration sensors is to detect ball colliding with the surface. An additional vibration sensor is also used to detect ball touching the net, determining let state in the game. Petri net scheme is used to model the operation of the system, making it easy to visualize its operation. We believe that the proposed system will contribute much to better evaluate the various phases of table tennis games and to aid the referees to make better decisions.*

**Keywords:** Automatic Scorekeeping, Petri Net Modeling, Table Tennis

### **INTRODUCTION**

Generally referees' decisions in sports games have been a lingering debate, and it has been seen that some of them ended with unacceptable results. To improve decisions given in games, a computerized system should come in where referees observe scene unclearly and fall into hesitance. In amateurs games such computerized systems may be used to serve as an arbitrator. In such games score-keeping is another task to be carried out easily and

correctly. So, a need for replacing the persons to fulfill the above tasks arises.

There are some private entrepreneurs who implemented automatic scorekeeping systems [2-5] some of which are commercially available. Except [2], most of them are designed to increment score manually. Table 1 shows the comparisons of the scorekeeping systems in market. Since most of them are commercial

# AN IMPLEMENTATION OF VIBRATION-BASED AUTOMATIC SCORE-KEEPING SYSTEM FOR TABLE TENNIS GAME

Erdem YAVUZ, Ufuk SANVER, Mustafa CEM KASAPBAŞI, Rifat Yazıcı

products, their details are not well-known. In the publications related to table tennis scoring many methodologies, such as vision based [6-10], acoustic based [11] and vibration based [12] are presented to detect the collision of the ball with the table. In ref.[6-10], vision-based systems are mainly used for detecting ball position and predicting its trajectories with the help of sensors mounted on rackets. The sensors are responsible for detecting angle and speed of racket. The cost of the system mentioned is high due to utilizing high precision sensors and equipment. Although the main purposes of those studies differ, what they all have in common is to be able to keep game scores.

In this study it is aimed to implement a hardware system that automatically keeps the scores in a table tennis singles match and decides which player scores, serves service, faces a let state. The system also resolves the winning side of a set and game in the match. The system is also intended to be used not only by beginners and amateurs but also by referees to support their decisions in sport tournaments. Unfortunately, although it has many

advantages it has been seen that automatic score keeping devices are not used in official matches, where in general manually incremented electronic boards or static cards are used.

## PETRI NET MODELING

Modeling of table tennis game to simplify the design of the system is another challenge in this automation. Petri net modeling is best suited for this project. Using Petri nets one can model any discreet event system and visualize behaviors comprising concurrency, synchronization and also resource sharing [1]. As automation industry grows over time, many of the applications requiring labor work are being replaced with automated counterparts. In two last decades, there exists a considerable increase in the number of automated systems, which become more complex as well [13,14]. Petri net, invented by Carl A. Petri in 1962, is very useful tool for analyzing and modeling of systems. He established a mathematical model for his study of communication.

Table 1. Comparison of Table Tennis Score Keeping systems

	[2]	[3]	[4]	[5]	The Proposed System
Service Pass	Automatic	Manual	Manual	Manual	Automatic
Incrementing Score	Automatic	Automatic	Manual	Manual	Automatic
Net Touch (Let)	Detected Automatically	Not Applicable	Not Applicable	Not Applicable	Detected Automatically
Deuce	Detected	Not Applicable	Detected	Not Applicable	Detected
Open Source Model	Commercial Product	Commercial Product	Commercial Product	Commercial Product	Research and Development Product Open source
PC connection	Not Applicable	Available	Not Applicable	Not Applicable	In development
Ball Hit detection	Precision Vibration Sensor	None	None	None	Low cost Vibration Sensors

# AN IMPLEMENTATION OF VIBRATION-BASED AUTOMATIC SCORE-KEEPING SYSTEM FOR TABLE TENNIS GAME

Erdem YAVUZ, Ufuk SANVER, Mustafa CEM KASAPBAŞI, Rifat Yazıcı

The graphical representation is one of its important advantages. In addition, Petri net modeled systems can easily be adapted to many automation tools. Further advantages of Petri nets is to ease the understanding of systems both for engineers and customers. Since its invention of Petri-nets model, Petri nets are used in many different areas namely communications, manufacturing systems, automation industry, and software engineering [13, 14]. In addition to conventional application areas of Petri-nets, they are used in sport areas such as football video analysis [15] or basketball video analysis [16]. An example of Petri net is shown in Figure 1.




Figure 1. A simple Petri Net

Petri net model has four important parts such as places, transition, line (input or output), and line weight.

Place: can have token.

Transition: is the rule of changing locations of token.

Line: shows the direction of token between place and transition. Lines can not be drawn between places or between transitions.

Weight: shows how many lines there are between transition and place [13-15].

To best our knowledge, this is the first Petri net modeling application of table tennis. For modeling of this Petri-net the RT-Studio Program of Dr. Rachid Hadjidj and Dr. Hanifa Boucheneb was used [17]. Transitions are triggered by the impulses

acquired from vibration sensors. Petri net model operation of table tennis game is shown in Figure 2.

The meanings of transitions in Petri net model shown in Figure 2:

- t1: Table A vibrated
- t2: Table A vibrated
- t3:  $t=3s$
- t4: Table B vibrated
- t5: Net shaken
- t6: Table B vibrated
- t7:  $t=3s$
- t8: Token of net memory  $<2$
- t9: Token of net memory  $=2$
- t10: Player A or player B gain a score
- t11: Fading out of the vibrations of tables A and B.
- t12: The number of score of player  $B \geq \text{threshold}$
- t13: The number of score of Player  $B < \text{threshold}$
- t14: Table A vibrated
- t15: Table B vibrated
- t16: Table B vibrated
- t17:  $t=3s$
- t18: Table A vibrated
- t19: Table A vibrated
- t20: Score of player  $A < \text{threshold}?$
- t21: Score of player  $A > \text{threshold}?$
- t22:  $t=3s$
- t23: Player A or player B gain a score

# AN IMPLEMENTATION OF VIBRATION-BASED AUTOMATIC SCORE-KEEPING SYSTEM FOR TABLE TENNIS GAME

Erdem YAVUZ, Ufuk SANVER, Mustafa CEM KASAPBAŞI, Rifat Yazıcı




Figure 2. Petri Net Model for The Operation of Table Tennis Game.

t24: Fading out of the vibrations of tables A and B.

t25: The number of score of player A < threshold

t26: The number of score of player A ≥ threshold

t27: Table B vibrated

t28: Table B vibrated

t29: t=3s

t30: t=3s

t31: Table A vibrated

t32: Total number of score (player A + player B) mod 10 < 5

t32: Total number of score (player A + player B) mod 10 > 4

# AN IMPLEMENTATION OF VIBRATION-BASED AUTOMATIC SCORE-KEEPING SYSTEM FOR TABLE TENNIS GAME

Erdem YAVUZ, Ufuk SANVER, Mustafa CEM KASAPBAŞI, Rifat Yazıcı

## Hardware Implementation

In our study we have used general purpose, low cost vibration sensors to detect collision of ball with the table surface. There are many advantages of choosing this vibration sensor such as low computational load, cost and ease of implementation. In addition, it comes with signal conditioning circuit, generates binary output, and so makes it quite easy to process the ball collisions. A block representation of the complete system is illustrated in Figure 3.

There are available eleven vibration sensors used, ten of them are situated underside of the table and the one is attached to the net. The sensors are so placed that the sensing range of each sensor is overlapped that of its neighbors and all together cover the

entire table surface. They sense the vibration produced by ball collision, convert it into electrical signal and then transmit it to the microcontroller to be processed. The microcontroller carries out the necessary operations to decide which half of the table the ball collides. Using the Petri net modeling the state of the game is determined and afterwards appropriate action is taken to be shown on the display. In addition the buzzer sounds to alert the players about status change. Actions to be displayed are score increment, let state, service change, set winner and match winner. In Figure 4 a picture of hardware system implemented is given. Evaluation of the system performance in percentage is tabulated in Table 2.




Figure 3. Block Diagram of Table Tennis System




Figure 4. A Picture of Implemented Table Tennis Automatic Scorekeeping System in Action

# AN IMPLEMENTATION OF VIBRATION-BASED AUTOMATIC SCORE-KEEPING SYSTEM FOR TABLE TENNIS GAME

Erdem YAVUZ, Ufuk SANVER, Mustafa CEM KASAPBAŞI, Rifat Yazıcı

Table 2. Percent success of the system

	Success Percentages
Service Pass	93
Let State	99
Scoring in game	95

## CONCLUSION

In this study, a vibration-based technique to model and implement a score-keeping system for table tennis game is presented. To the best of our knowledge it is the first implementation of Petri net modeling for table tennis games. When compared with the other investigated score keeping systems, it seems that our system is superior in some aspects such as low cost, let state detection as evidenced in Table 1. The implemented system has been successful over 93 percent in the areas of table tennis service pass, let state, and game scorekeeping as depicted in Table 2. A manual score increment and decrement facility is also added to the system to be able to compensate such errors. For future study it is planned to establish a PC connection via USB or RF transmitter to better visualize the game results and to record statistics.

## REFERENCES

- [1] René David, Hassane Alla "Petri nets for modeling of dynamic systems: A survey", *Automatica* Volume 30, Issue 2, February 1994, Pages 175–202
- [2] Stiga SensScore, <http://www.ammacher.com/Product/Default.aspx?sku=86554&promo=Category-NewArrivals&catid=60> (last accessed 21/01/2015)
- [3] The Incredible Machine: Ping Pong, <http://the-incredible-machine.com/pingpong-what-if-your-table-tennis-table-keeps-score/> (last accessed 21/01/2015)
- [4] PongTrack <http://www.paddlepalace.com/Manuals/mmspo.pdf> (last accessed 21/01/2015)
- [5] SiDigital <http://sidigital.co/blog/lab-notes-hacking-our-ping-pong-table> (last accessed 21/01/2015)
- [6] Han Bao; Xiaopeng Chen; ZhanTao Wang; Min Pan; Fei Meng, Bouncing model for the table tennis trajectory prediction and the strategy of hitting the ball, *Mechatronics and Automation (ICMA), 2012 International Conference on*, vol., no., pp.2002,2006, 5-8 Aug. 2012
- [7] Mulling, Katharina; Kober, J.; Peters, J., "A biomimetic approach to robot table tennis," *Intelligent Robots and Systems (IROS), 2010 IEEE/RSJ International Conference on*, vol., no., pp.1921,1926, 18-22 Oct. 2010
- [8] Nakashima, A.; Ogawa, Y.; Chunfang Liu; Hayakawa, Y., "Robotic table tennis based on physical models of aerodynamics and rebounds," *Robotics and Biomimetics (ROBIO), 2011 IEEE International Conference on*, vol., no., pp.2348,2354, 7-11 Dec. 2011
- [9] Wang, Zhikun; Lampert, Christoph H.; Mulling, Katharina; Scholkopf, Bernhard; Peters, J., "Learning anticipation policies for robot table tennis," *Intelligent Robots and Systems (IROS), 2011 IEEE/RSJ*

# AN IMPLEMENTATION OF VIBRATION-BASED AUTOMATIC SCORE-KEEPING SYSTEM FOR TABLE TENNIS GAME

Erdem YAVUZ, Ufuk SANVER, Mustafa CEM KASAPBAŞI, Rifat Yazıcı

- International Conference on , vol., no., pp.332,337, 25-30 Sept. 2011
- [10] Katharina Mülling, Jens Kober, and Jan Peters, A biomimetic approach to robot table tennis, Adaptive Behavior October 2011 19: 359-376
- [11] Bin Zhang; Weibei Dou; Liming Chen, "Ball Hit Detection in Table Tennis Games Based on Audio Analysis," Pattern Recognition, 2006. ICPR 2006. 18th International Conference on , vol.3, no., pp.220,223,
- [12] Cui, Meiling; Zhang, Jian, Application of Vibration Testing Technology in Table Tennis Ball Land Point Location, Conference: International Workshop on Computer Science in Sports (IWCSS), Wuhan, CHINA ,269-272 Published: 2013
- [13] Richard Zurawski and MengChu Zhou, Petri Nets and Industrial Applications: A Tutorial, IEEE. TRANSACTIONS ON INDUSTRIAL ELECTRONICS, VOL. 41, NO. 6, DECEMBER 1994, Page567-583
- [14] Eric Y.T. Juan, Jeffrey J.P. Tsai, Reduction Methods for Real-Time Systems Using Delay Time Petri Nets, , IEEE TRANSACTIONS ON SOFTWARE ENGINEERING, VOL. 27, NO. 5, MAY 2001, Page 422-448
- [15] Songyang Lao, Alan F. Smeaton, Gareth J. F. Jones, Hyowon Lee, A query description model based on basic semantic unit composite petri-nets for soccer video analysis, Proceeding MIR '04 Proceedings of the 6th ACM SIGMM international workshop on Multimedia information retrieval Pages 143 – 150
- [16] Chung-Hsien Kuo, Ting-Shuo Chen, Hung-Chyun Chou and Guan-Zuo Chen, PN-WSNA-Based Eye-Hand-Leg Coordination with a FIRA HuroCup Basketball Game, IEEE/ASME TRANSACTIONS ON MECHATRONICS, VOL. 18, NO. 3, JUNE 2013, Page 854-866
- [17] Rashid Hadjidj, <http://faculty.qu.edu.qa/rhadjidj/rt-studio.aspx> (last accessed 21/01/2015)

AN IMPLEMENTATION OF VIBRATION-BASED AUTOMATIC SCORE-  
KEEPING SYSTEM FOR TABLE TENNIS GAME  
Erdem YAVUZ, Ufuk SANVER, Mustafa CEM KASAPBAŞI, Rifat Yazıcı